



For ease of ordering, contact Customer Service Toll Free at:
 800-333-6900 Fax: 800-678-4682
 To order Literature: 800-828-6282

www.invacare.com

Yes, you can.™

Company Name _____ Account # _____

Phone # _____ P.O.# _____ Date _____

Ship To Name & Address _____

FRAME TYPE

- COMET-S Standard Configuration 2,034.00
- ¹ COMET-R Reverse Configuration 2,034.00

TILT OPTION

- ² MTILT 20° Mini Tilt 445.00

SEAT WIDTH

- W10 10" Wide No Charge
- W11 11" Wide No Charge
- W12 12" Wide No Charge
- W13 13" Wide No Charge
- ³ W14 14" Wide No Charge
- ³ W15 15" Wide No Charge
- ³ W16 16" Wide No Charge

ADJUSTABLE SEAT DEPTH

- D0713 Short Frame (7"-13") No Charge
- D0916 Long Frame (9"-16") No Charge

SEAT DEPTH

- ⁴ D07 Seat Depth 7" No Charge
- ⁴ D08 Seat Depth 8" No Charge
- D09 Seat Depth 9" No Charge
- D10 Seat Depth 10" No Charge
- D11 Seat Depth 11" No Charge
- D12 Seat Depth 12" No Charge
- D13 Seat Depth 13" No Charge
- ³ D14 Seat Depth 14" No Charge
- ³ D15 Seat Depth 15" No Charge
- ³ D16 Seat Depth 16" No Charge

FOOTNOTES

1. Camber angle is not available with reverse configuration.
2. Seat-to-floor height will increase 1 1/2" with the mini-tilt and the S1016 is the only back height that is available with mini-tilt option. Comes standard with adjustable angle footboard.
3. Only available with long frame.
4. Not available with long frame.
5. Comes standard with desk length arm pads. For full length arm pads refer to arm accessories category. Length is measured from the front of the back cane to the front of the arms in one inch increments.
6. Not available with the reverse configuration frame. Not available with 10" or less seat depth.

NOTE: All specifications and dimensions are approximate.

Arm Heights	
Cantilever	7" - 12"
Add 1" with upholstered arm pads Range adjusts in 1" increments	
T-Arm	6" - 10" & 8" - 14"
Low Range adjusts in 1/2" increments. High Range adjusts in 1" increments. Measurement taken from top of seat rail to top of arm rest.	

ARM TYPE

- ⁵ AT55 Cantilever, Adjustable Length No Charge
- ⁶ TAF T-Arms, Full Adjustable Height 225.00
- ⁶ TAD T-Arms, Desk Adjustable Height 225.00
- L8401 Omit Arms Less 20.00

T-ARM HEIGHT

- L6-10 Low Range 6"-10" No Charge
- H8-14 High Range 8"-14" No Charge

ARM ATTACHMENT

- BOLT Bolt-On No Charge
- CLAMP Clamp-On 40.00

BACK HEIGHT

- 1014 Sportster Back w/o Push Handles(10"-14") . . No Charge
- S1016 20" Fixed Height Back(10"-16") No Charge
- A1014 10° Bend Back w/Push Handles(10"-14") . . . No Charge

FRAME FINISH

BASIC COLORS

- 22P Anthracite No Charge
- 24P Wet Black No Charge
- 30P Sunny Yellow No Charge
- 33P Red No Charge
- 84P Lavender No Charge
- 88P Wet Black w/Twilight Sparkle No Charge
- 101P Jeweled Green No Charge
- 102P Denim Blue No Charge
- 105P Midnight Blue No Charge

CANDY COLORS

- 61P Electric Red No Charge
- 62P Electric Blue No Charge
- 66P Electric Purple No Charge
- 104P Electric Teal No Charge

CHAMELEON COLORS

- 80P Evergreen w/Navy No Charge
- 83P Royal Blue w/Grape No Charge

Invacare® Comet™

Accessories and Options



SEAT STYLE

- RDGSEAT Rigid Seat Pan **Standard**
- L9004 Omit Rigid Seat Pan Less 25.00

Front and Rear Seat-to-Floor Heights		
Caster & Wheel	Forward Configuration	Reverse Configuration
3" & 16"	10 3/4", 11 3/4"	10 3/4", 11 3/4"
3" & 18"	11 3/4", 13 3/4"	11 3/4", 13 3/4"
3" & 20"	12 3/4", 14 1/2"	12 3/4", 13 3/4", 14 1/2"
3" & 22"	14 1/2", 15 1/2"	14 1/2", 15 1/2"
3" & 24"	15 1/2", 16 1/2"	16 1/2", 16 1/2"
5" & 16"	11 3/4"	
5" & 18"	11 3/4", 13 3/4"	11 3/4", 13 3/4"
5" & 20"	13 3/4", 14 1/2", 15 1/2"	14 1/2", 15 1/2"
5" & 22"	14 1/2"	14 1/2"
5" & 24"	15 1/2", 16 1/2"	16 1/2"
6" & 20"	16 1/2"	N/A
6" & 24"	17 1/2"	16 1/2", 17 1/2"

* Denotes 1" spacer ** Denotes 2" spacer
 Seat-to-Floor heights of 10 3/4", 11 3/4", 12 3/4" apply to 7" - 13" adjustable seat depths only. Add 1/2" to seat-to-floor heights with mini-tilt option.

Axle Position Matrix	
Recommended Axle Position	
Short Frame 7" - 13"	
Caster & Wheel	Axle Position
3" & 16"	All Positions
5" & 16"	All Positions
3" & 20"	5th, 6th, Furthest Hole
5" & 20"	5th, 6th, Furthest Hole
Long Frame 9" - 16"	
Caster & Wheel	Axle Position
3" & 20"	All Positions
5" & 20"	2nd, 3rd, 4th, 5th, 6th, Furthest Hole
6" & 20"	3rd, 4th, 5th, 6th, Furthest Hole
3" & 22"	All Positions
5" & 22"	2nd, 3rd, 4th, 5th, 6th, Furthest Hole
6" & 22"	4th, 5th, 6th, Furthest Hole
3" & 24"	3rd, 4th, 5th, 6th, Furthest Hole
5" & 24"	4th, 5th, 6th, Furthest Hole
6" & 24"	5th, 6th, Furthest Hole

Reverse Configuration uses first two axle positions only.

SEAT-TO-FLOOR HEIGHT

- STF1034 Seat-To-Floor 10 3/4" No Charge
- STF1134 Seat-To-Floor 11 3/4" No Charge
- STF1234 Seat-To-Floor 12 3/4" No Charge
- STF1334 Seat-To-Floor 13 3/4" No Charge
- FSTF145 Seat-To-Floor 14 1/2" No Charge
- FSTF155 Seat-To-Floor 15 1/2" No Charge
- FSTF165 Seat-To-Floor 16 1/2" No Charge
- FSTF175 Seat-To-Floor 17 1/2" No Charge

CASTER OPTIONS

- AT900 3" Roller Blades No Charge
- AT901 5" Composite Urethane Casters No Charge
- 5ALUM 5" Aluminum Urethane Casters 92.00
- AT902 6" Composite Urethane 3 Spoke No Charge
- 6PNEU 6" X 1 1/4" Composite Pneumatic 64.00
- L8840 Omit Casters Less 25.00

WHEEL OPTIONS

- 16COM 16" Composite No Charge
- 18COM 18" Composite No Charge
- 20COM 20" Composite No Charge
- 22COM 22" Composite No Charge
- 24COM7 24" Composite 7 Spoke No Charge
- 20SP 20" Spoke No Charge
- 22SP 22" Spoke No Charge
- 24SP 24" Spoke No Charge
- L8701 Omit Rear Wheels Less 50.00

TIRE OPTIONS

- PNEU Pneumatic No Charge
- PNEUFF Pneumatic-Flat Free 125.00
- URETH Urethane (Treaded) 51.00
- PRIMO Primo 59.00
- CONTL Continental Tubular 166.00
- KIKB KIK® Black 60.00

HANDRIM OPTIONS

- ALUMPC Aluminum Anodized Handrims No Charge
- A1512 Plastic Coated Handrims 72.00
- A1512K Black Plastic Coated Handrims 72.00
- P1512 Black Wrinkle Coated No Charge
- AT1224-8 Plastic Coated w/8 Oblique Projections 245.00
- AT1225-8 Plastic Coated w/8 Vertical Projections 245.00
- L8702 Omit Handrims Less 10.00

MOUNTING HANDRIMS (SPOKE WHEELS ONLY)

- IN Mount Inside Handrim No Charge
- OUT Mount Outside Handrim **Standard**

FOOTNOTES

1. Omit rigid seat base when ordering a seating system.
2. Only available with short frame.
3. Only available with 9" - 16" long frame.
4. 3" fork is standard.
5. Not available with 9" - 16" long frame.
6. Only available with pneumatic tires.
7. Only available with pneumatic and urethane tires.
8. Not available with Primo or Continental tires.
9. Not available with urethane tires.
10. Spoke wheels are standard with dome, quick-release button axle.
11. Not available with 16" or 18" composite wheels.
12. Only available with spoke wheels.
13. Only available with 16" composite wheels.
14. Only available with 24" wheels.
15. Only available with 22" and 24" wheels.
16. Decreases overall width by 3/4".

NOTE: All specifications and dimensions are approximate.

Invacare® Comet™

Accessories and Options

LARGE WHEEL AXLE POSITION

- A01 Axle In Furthest Forward PositionNo Charge
- A02 Axle In Second HoleNo Charge
- A03 Axle In Third HoleNo Charge
- A04 Axle In Fourth HoleNo Charge
- A05 Axle In Fifth HoleNo Charge
- A06 Axle In Sixth HoleNo Charge
- A0F Axle In Furthest Rearward PositionNo Charge

CAMBER ANGLE

- ¹ C00 0° Camber**Standard**
- C03 3° CamberNo Charge
- C05 5° CamberNo Charge

Knee-to-Heel Range							
90° SWUNDER		90° FTBD		90° INDFPT		AT5046	
Long Frame							
MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
4"	15 1/2"	0"	15 1/2"	0"	16"	12"	16"
Short Frame							
MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX
2"	8"	0"	8"	0"	9"	N/A	N/A
Range adjusts in 1" increments.							
Measurement taken from top of seat rail to back of footrest.							

FOOTPLATE TYPE

- 90SWUNDER Adjustable Angle Swing Under Ft. Brd.No Charge
- 90FTBD Adjustable Angle FootboardNo Charge
- 90INDFPT Adjustable Angle Individ. FootplatesNo Charge
- AT5046 Rigid Tubular FootrestsNo Charge

² FOOTREST/LEGREST ACCESSORIES

- A1337 Calf Strap34.00
- A1600BK Heel Loops With Ankle Straps51.00
- 1346 Heel LoopsNo Charge

SEAT POSITIONING STRAPS

- A1515C Auto Rainbow Seat Positioning Strap50.00
- 1321BK Hook & Loop Seat Positioning Strap40.00
- A1321 Hook & Loop Seat Positioning Strap40.00

CHEST POSITIONING STRAPS

- 7515C Auto Style Rainbow Chest Positioning Strap50.00
- 7321BK Hook & Loop Chest Positioning Strap40.00
- 7321C Hook & Loop Rainbow Chest Positioning Strap40.00

BACK ACCESSORIES

- BP03 Comet BackpackNo Charge
- BP02 Back Pack50.00
- ¹ ADJTENS Adjustable Tension Back Upholstery87.00
- 1483 Stroller Handles85.00
- 1485 Clamp-On Stroller Handles75.00
- L8601 Omit Back UpholsteryLess 10.00

³ BACK SUPPORTS

- CBK Curved Back463.00
- CBKP Curved Back Pneumatic541.00

MONOGRAMMING & EMBLEMS

- TEXT15.00
- ⁴ EM00 CometeerNo Charge
- EM01 Butterfly Emblem26.00
- EM02 Deer Emblem26.00
- EM03 Rabbit Emblem26.00
- EM06 Corvette Emblem26.00
- EM07 F-14 Jet Fighter Emblem26.00
- EM08 Football Emblem26.00
- EM10 Basketball & Hoop Emblem26.00

THREAD COLOR FOR EMBLEM

- TC02 Pink ThreadNo Charge
- TC06 Teal ThreadNo Charge
- TC08 Purple ThreadNo Charge
- TC19 Green ThreadNo Charge
- TC29 White ThreadNo Charge
- TC30 Yellow ThreadNo Charge
- TC33 Red ThreadNo Charge

SEAT ACCESSORIES

- SP-01 Seat Pouch35.00

³ SEAT CUSHIONS

- EC Essential™ Cushion63.00
- SD Single Density Cushion101.00
- PSVF Personal Seat VF™350.00
- UMJ Ulti-Mate® Junior Cushions546.00
- UM Ulti-Mate Cushions546.00

³ RIGIDIZER & DROP BASE

- CR Cushion Rigidizer37.00
- UMJB Ulti-Mate Junior Base734.00
- UMB Ulti-Mate Base734.00

³ KSS SEATING SYSTEM

- KSS10R KSS System Fits 10" Wide Chair-Reg1,477.00
- KSS11R KSS System Fits 11" Wide Chair-Tall1,830.00
- KSS12R KSS System Fits 12" Wide Chair-Reg1,477.00
- KSS13R KSS System Fits 13" Wide Chair-Reg1,830.00
- KSS14R KSS System Fits 14" Wide Chair-Reg1,477.00
- KSS14T KSS System Fits 14" Wide Chair-Tall1,477.00
- KSS15R KSS System Fits 15" Wide Chair-Reg1,830.00
- KSS16R KSS System Fits 16" Wide Chair-Reg1,477.00
- KSS16T KSS System Fits 16" Wide Chair-Tall1,477.00

FOOTNOTES

1. Not available with reverse configuration.
2. Only available with adjustable angle individual footplates.
3. Pricing reflects builder sizes. For standard pricing call Customer Service.
4. No thread color choices available.

NOTE: All specifications and dimensions are approximate.

Invacare® Comet™

Accessories and Options

ARM ACCESSORIES

<input type="checkbox"/>	A1571	Fabric Clothing Protectors	46.00
1,2	<input type="checkbox"/>	1671-SM Rigid Side Guards, Small	122.00
1,2	<input type="checkbox"/>	1671-SMH Quad Rigid Side Guards, Small	122.00
2	<input type="checkbox"/>	1671-LG Rigid Side Guards, Large.....	122.00
2	<input type="checkbox"/>	1671-LGH Quad Rigid Side Guards, Large.....	122.00
3	<input type="checkbox"/>	A1492 Cantilever Full Length Arm Pads	35.00
	<input type="checkbox"/>	L8405 Omit Arm Pads.....	Less 10.00

LAP TRAYS

<input type="checkbox"/>	LT02A	Lap Tray Clear w/Cut Out & w/Side Rail	321.00
<input type="checkbox"/>	LT04A	Lap Tray Clear w/o Cut Out & w/Side Rail	225.00

4 WHEEL LOCKS

5,6	<input type="checkbox"/>	A1598 Hill Holder	77.00
	<input type="checkbox"/>	A1576 Wheel Lock Extensions (8")	39.00
7	<input type="checkbox"/>	A1572 Reverse Configuration Wheel Locks	No Charge

MISCELLANEOUS ACCESSORIES

<input type="checkbox"/>	A1573	Quad Release Axles	89.00
8	<input type="checkbox"/>	A1307 Spoke Protectors(For 20", 22", 24")	90.00
<input type="checkbox"/>	A1209	Tire Pump	32.00
<input type="checkbox"/>	3421	3/4" To 1" Clamp Assembly	21.00
<input type="checkbox"/>	A1580	Rear Anti-Tippers	No Charge
<input type="checkbox"/>	A1300	UtilityTray	147.00
<input type="checkbox"/>	PUSHHANDL	Push Handles Bolt On	64.00
<input type="checkbox"/>	A1569	Crutch & Cane Carrier	46.00
9	<input type="checkbox"/>	Touch Up Paint	20.00

FOOTNOTES

1. Standard with T-Arms and only available with 11" or greater seat depth in standard configuration.
2. Not available on reverse configuration.
3. Cantilever arms are non-adjustable with full length arm pads.
4. Pull-to-lock wheel locks are standard.
5. Not available with adjustable angle swing-under footboard.
6. Not available with urethane tires or 10"-14" seat depths.
7. Standard in reverse configuration.
8. A1307 is not available with projection handrims.
9. Touch-up paint is not available in all colors.

NOTE: All specifications and dimensions are approximate.

Specifications	
• Frame Style	Rigid
• Seat Widths	10" - 16"
• Seat Depths	7" - 16"
• Adjustable Height Back	10" - 16" (See Back Height Category)
• Adjustable Angle Back	-4°, 0°, 4°, 8°, 12°, 16°
• Camber Angles	0°, 3°, 5°
• Tubing O.D.	1" Aluminum
• Weight Limit 7" - 13" Adj. Seat	100 lbs
• Weight Limit 9" - 16" Adj. Seat	150 lbs
• Weight of Chair	22.5 lbs
• Warranty	Lifetime on frame and crossbraces

Minimum Overall Width
Seat width plus 9" Measurement taken from outside of handrim to outside of handrim with 0° camber.

Weight Limitation 100 Pounds 7" - 13" Adjustable Seat
Invacare recommends all wheelchairs be fitted to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the product.

Invacare Corporation www.invacare.com



USA
One Invacare Way
Elyria, OH USA
44035-4190
800-333-6900

Invacare and Ulti-Mate are registered trademarks and Comet, Personal Seat VF, Essential and Yes, you can. are trademarks of Invacare Corporation. KIK is a registered trademark of KIK Technology, Inc.
Specifications and prices are subject to change without notification.
© 2003 Invacare Corporation

Form No. 95-80
P1995_80B